

Fabric Inspection Standard 4- point system acceptable level

Woven Fabric			
Group	Fabric Description	Individuals Rolls	For Sample size
1.	All synthetic – polyester—acetate-nylon Dressing skirting ; Filament Rayon Worsted Spun ; Silk/Silk blends ;	20points/100 square yards 16points/100 square meter	16points/100 square yards 13 points/100 square meter
2.	Basic Denim/cotton Twill Cotton canvas/plain Cotton poplin/ oxford Gingham Shirting Spun rayon Wool spun Cotton chambray/Indigo yarn dyed All jacquard/dobby/ Printed Corduroy/ velvet Stretched denim/corduroy/woven Cotton/synthetic blends ;	28points/100 square yards 23 points/100 square yards	20points/100 square yards 16points/100 square meter
3.	Linen blends Ramie Blends Muslin	40points/100 square yards 33 points/100 square meter	32points/100 square yards 26 points/100 square meter
4.	Duopioni silk/Light weight silk Patch work	50points/100 square yards 41points/100 square yards	40points/100 square yards 33 points/100 square yards

Knitting Fabric			
Group	Fabric Description	Individuals Rolls	For Sample size
1.	All synthetic – polyester—acetate-nylon Dressing skirting ; Filament Rayon Worsted Spun ; Lace Warp knitted	20points/100 square yards 16points/100 square meter	16points/100 square yards 13 points/100 square meter
2.	All jacquard/Dobby Spun rayon Synthetic blends Wool spun Indigo yarn dyed Velour/ Stretched fabric Fleece/Terry/Inlay ;	25points/100 square yards 20points/100 square meter	20points/100 square yards 16points/100 square meter
3.	Basic knitting fabric(combed cotton/ cotton blended) – Plain jersey/Interlock/Lactose/Rib/Mesh	30points/100 square yards 25 points/100 square meter	25points/100 square yards 20 points/100 square meter
4.	Basic knitting fabric -- Carded cotton/blended	40points/100 square yards 33 points/100 square meter	32points/100 square yards 26 points/100 square meter